

Prepared for:  
**Aunt Bonnie's**

PO BOX 545  
Bennington, VT USA 05201


## 1500mg/oz FS Tincture Mint

Batch ID or Lot Number: <b>0545438</b>	Test: <b>Potency</b>	Reported: <b>16Nov2022</b>	USDA License: N/A
Matrix: Concentrate	Test ID: T000227577	Started: 15Nov2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 11Nov2022	Status: N/A

### Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.005	0.017	0.240	2.40	
Cannabichromenic Acid (CBCA)	0.005	0.015	ND	ND	
Cannabidiol (CBD)	0.014	0.045	5.450	54.50	
Cannabidiolic Acid (CBDA)	0.014	0.046	ND	ND	
Cannabidivarin (CBDV)	0.003	0.011	0.020	0.20	
Cannabidivarinic Acid (CBDVA)	0.006	0.019	ND	ND	
Cannabigerol (CBG)	0.003	0.009	0.150	1.50	
Cannabigerolic Acid (CBGA)	0.013	0.039	ND	ND	
Cannabinol (CBN)	0.004	0.012	ND	ND	
Cannabinolic Acid (CBNA)	0.009	0.027	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.015	0.047	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.014	0.042	0.230	2.30	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.012	0.038	ND	ND	
Tetrahydrocannabivarin (THCV)	0.003	0.009	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.011	0.033	ND	ND	
<b>Total Cannabinoids</b>			<b>6.090</b>	<b>60.90</b>	
Total Potential THC			0.230	2.30	
Total Potential CBD			5.450	54.50	

### Final Approval



Karen Winternheimer  
16Nov2022  
02:01:00 PM MST

PREPARED BY / DATE



Sam Smith  
16Nov2022  
02:02:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/928af514-5947-4e68-902e-bf4143ad8c82>

**Definitions**  
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).  
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Call #4329.02  
928af51459474e68902ebf4143ad8c82.1