

Prepared for:  
**Aunt Bonnies**

P.O. Box 545  
Bennington, VA USA 05201

## 1000mg Hemp Balm

Batch ID or Lot Number: <b>Sample B</b>	Test: <b>Potency</b>	Reported: <b>03Mar2023</b>	USDA License: N/A
Matrix: Concentrate	Test ID: T000236816	Started: 01Mar2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 28Feb2023	Status: N/A

### Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.019	0.061	<LOQ	<LOQ	
Cannabichromenic Acid (CBCA)	0.018	0.056	ND	ND	
Cannabidiol (CBD)	0.056	0.162	1.880	18.80	
Cannabidiolic Acid (CBDA)	0.058	0.166	ND	ND	
Cannabidivarin (CBDV)	0.013	0.038	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.024	0.069	ND	ND	
Cannabigerol (CBG)	0.011	0.035	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.046	0.146	ND	ND	
Cannabinol (CBN)	0.014	0.045	ND	ND	
Cannabinolic Acid (CBNA)	0.032	0.099	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.055	0.174	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.050	0.158	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.044	0.140	ND	ND	
Tetrahydrocannabivarin (THCV)	0.010	0.032	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.039	0.123	ND	ND	
<b>Total Cannabinoids</b>			<b>1.880</b>	<b>18.80</b>	
Total Potential THC			ND	ND	
Total Potential CBD			1.880	18.80	

### Final Approval



Karen Winternheimer  
03Mar2023  
10:23:00 AM MST

PREPARED BY / DATE



Sam Smith  
03Mar2023  
10:24:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/61bc4ce5-ccb3-4318-8856-2ad15d412f64>

**Definitions**  
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).  
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02  
61bc4ce5ccb3431888562ad15d412f64.1